



mini
KENDrill

Broca de metal duro integral, serie larga 7xD
Solid carbide twist drill, long serie 7xD
Foret en carbure monobloc, série longue 7xD
Punta en metallo duro, serie lunga 7xD
Hochleistungsbohrer VHM, Ausführung bis zu 7xD
Цельные твердосплавные сверла, длинная серия 7xD

B207.5D

K
DRILL

7xD

HM
SM

KENDU
NORM

N
TYP


DIN
6535-HA

30°
HELIX

140°

D

D



D	d	l	L	B207.5D.
m7	h6			
0,5	3	4	47	00050
0,6	3	5	47	00060
0,7	3	6	47	00070
0,8	3	6	47	00080
0,9	3	7	47	00090
1	3	8	47	00100
1,1	3	9	47	00110
1,2	3	11	52	00120
1,3	3	12	52	00130
1,4	3	13	52	00140
1,5	3	14	52	00150
1,6	3	14	52	00160
1,7	3	15	52	00170
1,8	3	16	52	00180
1,9	3	17	52	00190
2	4	18	63	00200

D	d	l	L	B207.5D.
m7	h6			
2,1	4	19	63	00210
2,2	4	20	63	00220
2,3	4	21	63	00230
2,4	4	22	63	00240
2,5	4	23	63	00250
2,6	4	23	67	00260
2,7	4	24	67	00270
2,8	4	25	67	00280
2,9	4	26	67	00290
3	4	27	67	00300

Condiciones de corte
Cutting conditions
Conditions de coupe
Condizioni di taglio
Schnittbedingungen
Режимы резания

B207.5D										
Acero Steel <1400 N/mm²	Inox Stainless	Fundición Cast iron	ALU Mg	Cu	Materiales sintéticos Fiber	Grafito Graphite	Ti	Ni	Acero Steel 5÷50 HRc	Acero Steel 50÷70 HRc
😊	😊	😊	🎯				😊	😊		

[illegible]

